

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Fecal Coliform Bacteria (CFU/100 mL)
 Daily Monitoring Data
 December 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2D	HB3D	21N	HB4D	HB5D	15N	12N	9N	6N
12/1																			
12/2																			
12/3																			
12/4																			
12/5	<17	50	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17
12/6																		<17	<17
12/7																			
12/8																			
12/9																			
12/10																			
12/11																			
12/12	170	100	17	17	120	<17	100	<17	<17	<17	50	<17	<17	17	720	67	120	17	50
12/13																		<17	<17
12/14																			
12/15																			
12/16																			
12/17																			
12/18																			
12/19	<17	33	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17
12/20																		17	<17
12/21																			
12/22																			
12/23																			
12/24																			
12/25																			
12/26																			
12/27	33	67	17	17	<17	<17	<17	<17	<17	17	<17	<17	<17	<17	17	<17	<17	<17	17
12/28																		17	67
12/29																			
12/30																			
12/31																			
1/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

3N	0	TM	SAR-N	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S	WFCU	WFC
<17	50		17																
<17	33	33		33	<17	<17	<17	<17	<17	<17	50	15	100			<17	<17	<17	230
120	17		<17																
50	<17	<17		<17	<17	50	<17	<17	50	<17	100	150	<17			<17	<17	<17	62
<17	<17		17																
17	120	17		<17	<17	17	33	17	<17	67	33	110	<17	<17	1100	33	17	<17	220
67	67		50																
33	33	67		17	<17	17	33	<17	<17	<17	<17	200	2200	<17	310	<17	<17	<17	15

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCD	ONB39	MDCU	MDC	MDCD
<17	17			<17
<17	<17			<17
<17	270	<17	310	<17
17	<17	67	1400	230

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.