

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Enterococci Bacteria (CFU/100mL)
 Daily Monitoring Data
 March 2014

| Date | OSB02 | OSB03 | OSB05 | OSB04 | OSB01 | OSUB1 | 39N | 33N | BCO-1 | 27N | HB1D | HB2D | HB3D | 21N | HB4D | HB5D | 15N | 9N | 6N | |
|------|-------|-------|-------|-------|-------|-------|-----|-----|-------|-----|------|------|------|-----|------|------|-----|----|-----|--|
| 3/1 | | | | | | | | | | | | | | | | | | | | |
| 3/2 | | | | | | | | | | | | | | | | | | | | |
| 3/3 | | | | | | | | | | | | | | | | | | | | |
| 3/4 | 94 | 138 | 48 | 50 | 6 | 10 | 8 | 18 | 32 | 24 | 14 | 20 | 16 | 22 | 20 | 18 | 16 | 12 | 4 | |
| 3/5 | 90 | | | | | | | | | | | | | | | | | 18 | 12 | |
| 3/6 | | | | | | | | | | | | | | | | | | | | |
| 3/7 | | | | | | | | | | | | | | | | | | | | |
| 3/8 | | | | | | | | | | | | | | | | | | | | |
| 3/9 | | | | | | | | | | | | | | | | | | | | |
| 3/10 | | | | | | | | | | | | | | | | | | | | |
| 3/11 | 8 | 14 | 30 | 5 | <2 | 6 | <2 | 2 | 2 | 4 | 72 | 24 | 20 | 48 | 4 | 10 | 4 | 2 | 10 | |
| 3/12 | 60 | | | | | | | | | | | | | | | | | 4 | 10 | |
| 3/13 | | | | | | | | | | | | | | | | | | | | |
| 3/14 | | | | | | | | | | | | | | | | | | | | |
| 3/15 | | | | | | | | | | | | | | | | | | | | |
| 3/16 | | | | | | | | | | | | | | | | | | | | |
| 3/17 | | | | | | | | | | | | | | | | | | | | |
| 3/18 | 60 | 26 | 2 | <2 | <2 | <2 | <2 | <2 | 14 | 6 | 28 | 12 | 16 | 6 | 8 | 10 | 4 | <2 | 8 | |
| 3/19 | 32 | | | | | | | | | | | | | | | | | 38 | 26 | |
| 3/20 | | | | | | | | | | | | | | | | | | | | |
| 3/21 | | | | | | | | | | | | | | | | | | | | |
| 3/22 | | | | | | | | | | | | | | | | | | | | |
| 3/23 | | | | | | | | | | | | | | | | | | | | |
| 3/24 | | | | | | | | | | | | | | | | | | | | |
| 3/25 | 14 | 8 | 12 | 14 | <2 | <2 | 2 | 6 | 54 | 8 | 2 | 2 | 2 | 4 | 4 | 2 | 8 | 12 | 12 | |
| 3/26 | 48 | | | | | | | | | | | | | | | | | 22 | 102 | |
| 3/27 | | | | | | | | | | | | | | | | | | | | |
| 3/28 | | | | | | | | | | | | | | | | | | | | |
| 3/29 | | | | | | | | | | | | | | | | | | | | |
| 3/30 | | | | | | | | | | | | | | | | | | | | |
| 3/31 | | | | | | | | | | | | | | | | | | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| 3N | 0 | AR-N | TM | 3S | 6S | 9S | 15S | 21S | 27S | 29S | BGCU | BGC | BGCD | PPCD | 39S | WFCU | WFC | WFCD | ONB39 |
|-----|------|------|-----|-----|----|----|-----|-----|-----|-----|------|-----|------|------|-----|------|------|------|-------|
| 60 | 34 | 70 | | | | | | | | | | | | | | | | | |
| 8 | 36 | | 50 | 34 | 84 | 50 | 4 | 8 | 4 | <2 | 4 | 354 | 28 | <2 | 2 | <2 | >400 | <2 | 10 |
| 54 | 38 | 16 | | | | | | | | | | | | | | | | | |
| 110 | 6 | | 16 | 24 | 14 | <2 | 2 | <2 | <2 | 14 | 240 | 144 | <2 | <2 | 2 | 6 | 86 | 2 | 10 |
| 26 | >400 | 26 | | | | | | | | | | | | | | | | | |
| 26 | 14 | | 16 | 40 | 14 | 6 | <2 | <2 | 6 | 8 | 66 | 112 | 16 | 4 | <2 | 8 | 104 | 4 | <2 |
| 2 | 28 | 10 | | | | | | | | | | | | | | | | | |
| 216 | 112 | | 166 | 104 | 58 | 20 | 14 | 38 | 32 | 44 | 12 | 142 | 4 | <2 | <2 | <2 | 100 | <2 | 94 |

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CONF - Confluence
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

| MDCU | MDC | MDCD | ELMOROD |
|------|------|------|---------|
| | | | |
| | | | |
| <2 | 194 | <2 | <2 |
| | | | |
| | | | |
| | | | |
| <2 | 88 | <2 | <2 |
| | | | |
| | | | |
| <2 | >400 | 4 | <2 |
| | | | |
| | | | |
| 2 | >400 | 6 | <2 |
| | | | |
| | | | |
| | | | |

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CONF - Confluence
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.